

GLASS
SYSTEMS


PALMIYE
Four Seasons Outdoor Living Areas

W I D E N Y O U R V I E W





INDEX

FOLDING GLASS SYSTEMS

08
Standard System

10
Hanging System

12
Butterfly System

14
Double Glass
Folding System

SLIDING GLASS SYSTEMS

18
3 Railed
Sliding System

20
5 Railed
Sliding System

22
Double Glass
Sliding System

24
Lift and
Slide System

FIXED & ADJUSTABLE SYSTEMS

28
Section System

30
Adjustable
Parapet System

32
Parapet System

33
Spider System

34
Sky Light System

DOOR SYSTEMS

38
Glass Door

40
Photocell Door

42
Aluminium Door

ACCESSORIES


46
Handles

48
Locks



D E E P E R R E F L E C T I O N S





FOLDING GLASS SYSTEMS

STANDARD SYSTEM

GLASS SYSTEMS ► FOLDING GLASS SYSTEMS


This is a successful architectural solution that integrates indoor comfort with an outdoor living space.

This stunning design concept has been intricately developed in order to fit with any type of architecture, classic or modern. A delightful design line running throughout the product enables any colour combination so that it can be personalized to individual taste. Due to the innovative suspension system each glass panel slides smoothly into place.






CONFIGURATIONS



Single opening wing



Double opening wing

GLASS OPTIONS

- » 8mm Tempered
- » 8mm Tempered (Coloured)

GLASS COLOR OPTIONS


- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height 240 cm

Max Width 600 cm

Max Wing Width 67 cm



HANGING SYSTEM

GLASS SYSTEMS ► FOLDING GLASS SYSTEMS

With its special frameless design the customer is able to enjoy the panoramic views around them, from within the enclosed area.


With a specially designed joint system, that screws the glass directly to the profile providing extra strength and stability, the glass panels are moved safely only along the top rail. This wheel system has an intelligent parking technology where the pane of glass is guided into the right track by itself.

Wheels at the top of each panel are adjustable to ensure easy manoeuvring.





CONFIGURATIONS



GLASS OPTIONS


- » 10mm Tempered
- » 10mm Tempered (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	350 cm
Max Width	600 cm
Max Wing Width	95 cm



BUTTERFLY SYSTEM

GLASS SYSTEMS ► FOLDING GLASS SYSTEMS


The butterfly system is carried along the top rail from a centrally placed wheel.

Along the bottom of the window pane there is a special rubber seal which prevents rain and air. The wheel system at the top of each wing is adjustable to ensure easy manoeuvring of the panels. Completely transparent views enable a life intertwined with nature.





CONFIGURATIONS



GLASS OPTIONS

- » 10mm Tempered
- » 10mm Tempered (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	350 cm
Max Width	600 cm
Max Wing Width	95 cm

DOUBLE GLASS FOLDING SYSTEM

GLASS SYSTEMS ► FOLDING GLASS SYSTEMS


This protective and classy concept has been developed in order to provide maximum comfort to any living space.

Each panel is enclosed with an aluminium frame and in turn connected to each other with strong hinges.





STANDARD CONFIGURATIONS



GLASS OPTIONS


- » Glass 4+16+4 mm
Insulated tempered

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	260 cm
Max Width	600 cm
Max Wing Width	100 cm
Min. Wing Width	60 cm







SLIDING GLASS SYSTEMS

3 RAILED SLIDING SYSTEM

GLASS SYSTEMS ► SLIDING GLASS SYSTEMS



This stylish glass system is completely waterproof and with our specially designed drainage detail even the smallest of raindrops will be caught and guided out again.

A perfect product for any building, its adjustable wheels ensure smooth manoeuvring of each panel to both left and right.





CONFIGURATIONS



GLASS OPTIONS


- » 10mm Tempered
- » 10mm Tempered (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	260 cm
Max Width	600 cm
Max Wing Width	75-100 cm



5 RAILED SLIDING SYSTEM

GLASS SYSTEMS ► SLIDING GLASS SYSTEMS



The 5 railed glass system is the perfect solution for large living areas that you want to maximize the use of.

The adjustable wheels ensure smooth manoeuvring and each panel is connected to the other enabling easy opening and closing.





CONFIGURATIONS



GLASS OPTIONS


- » 10mm Tempered
- » 10mm Tempered (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

- Max Height 260 cm
- Max Width 600 cm
- Max Wing Width 75-100 cm



DOUBLE GLASS SLIDING SYSTEM

GLASS SYSTEMS ► SLIDING GLASS SYSTEMS


Buildings where insulation solutions have been prioritized, offers great comfort to its users.

With this solution you maximise the use of the natural heat that daylight provides.






CONFIGURATIONS



2 SLIDING WINGS



2 SLIDING WINGS 2 FIXED WINGS

GLASS OPTIONS


- » 4+12+4 Tempered Insulated
- » 4+12+4 Tempered Insulated (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	250 cm
Max Width	600 cm
Max Wing Width	150 cm



LIFT & SLIDE SYSTEM

GLASS SYSTEMS ► SLIDING GLASS SYSTEMS

When closed this system offers perfect water, wind and heat insulation and in addition to this the huge panels enable an unbroken panoramic view.





CONFIGURATIONS



2 SLIDING WINGS



2 SLIDING WINGS 2 FIXED WINGS



4 SLIDING WINGS

GLASS OPTIONS


- » Glass 6+14+4 mm
Tempered Insulated

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	300 cm
Max Width	600 cm
Max Wing Width	200 cm






The background features a light gray to white gradient. Two prominent, dark gray diagonal lines intersect to form a large, bright white triangular area in the center. The lines have a slight 3D effect with lighter gray shading on their upper and left sides.

FIXED & ADJUSTABLE SYSTEMS

SECTION SYSTEM

GLASS SYSTEMS ► FIXED & ADJUSTABLE SYSTEMS

Dividing spaces with this section system creates a lighter and brighter atmosphere.








ADJUSTABLE PARAPET SYSTEM

GLASS SYSTEMS ► FIXED & ADJUSTABLE SYSTEMS


Operating vertically this parapet system can function interiorly as a room divider, and exteriorly as a balcony and wind breaker.






CONFIGURATIONS

3 PANEL



2 PANEL



STANDARD GLASS COMBINATIONS

TYPE	3 PANEL	2 PANEL
Manuel	10 mm (Fixed) / 6 mm / 6 mm	10 mm (Fixed) / 6 mm
Motorized	10 mm (Fixed) / 8 mm / 8 mm	10 mm (Fixed) / 8 mm

GLASS OPTION

Type 2	Motorized
Both Panel	4+12+4 Insulated - Tempered


GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked


DIMENSIONS

Height	2 Panel: 150-200 cm 3 Panel: 200-280 cm
Max Width	300 cm
Glass	Tempered
Glass Color	Transparent


Type 1 Manuel




Type 1 Motorized



Type 2 Manuel





Type 2 Motorized




PARAPET SYSTEM

GLASS SYSTEMS ► FIXED & ADJUSTABLE SYSTEMS


With its strong frameless panels the Parapet system provides uninterrupted views as well as a welcome wind shield too.



Model 1



Model 2



Model 3

SPIDER SYSTEM

GLASS SYSTEMS ► FIXED & ADJUSTABLE SYSTEMS

This frameless option is widely used on both new and classic buildings and adds a touch of modern design compatible with any style.


This system is used by architects worldwide and mainly in order to make the best of the surrounding views, due to minimum restriction caused by the construction parts.





SKY LIGHT SYSTEM

GLASS SYSTEMS ► FIXED & ADJUSTABLE SYSTEMS

The Sky Light system is a special glass roof that allows you to make full use of the natural light.









DOOR SYSTEMS

GLASS DOOR

GLASS SYSTEMS ► DOOR SYSTEMS

This beautifully designed panoramic glass door is an elegant feature in many buildings.






CONFIGURATIONS



SINGLE DOOR



DOUBLE DOOR

GLASS OPTIONS

- » 10mm Tempered
- » 10mm Tempered (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Max Height	300 cm
Max Width	100 cm

PHOTOCELL DOOR

GLASS SYSTEMS ► DOOR SYSTEMS


This clean cut and stylish door system operates with a photocell sensor.

Security and access control are installed at the top of the frame. At the same time as applying excellent weather sealing qualities the frames are also reduced to the maximum so as to promote visibility.







CONFIGURATIONS



SINGLE-WAY SLIDE



DUAL-WAY SLIDE



GLASS OPTIONS

- » 4+4mm Laminated Glass
- » 4+4mm Laminated Glass (Coloured)

GLASS COLOR OPTIONS

- » Transparent
- » Blue
- » Green
- » Smoked

DIMENSIONS

Height	200-250 cm	250-300 cm
Max Wing Width	100 cm	85 cm

ALUMINIUM DOOR

GLASS SYSTEMS ► DOOR SYSTEMS

This aluminium framed glass door provides a warm, stylish and functional door system.

Its robust, yet smooth operation results in a product you can rely on! The high performance seals protect the building from the elements of nature.

DIMENSIONS

Max Height	300 cm
Max Width	100 cm (One Side)
Glass	4+9+4 (Insulated)
Glass Color	Transparent







ACCESSORIES

The background features a series of overlapping, semi-transparent geometric planes in various shades of gray. A prominent, dark gray diagonal band runs from the bottom left towards the top right. The overall composition is minimalist and architectural, with sharp angles and clean lines.

HANDLES


ACCESSORIES



CIRCLE

It's beautiful design complements each individual project beautifully.


- » Drill hole in glass: Ø 50mm
- » Outer: Ø 60mm



CYLINDER


Both stylish and functional this cylinder door handle is made from stainless steel. Its dual notch design enables it to snuggle perfectly into the hand and it is a preferred option in many projects.

- » Drill hole in glass: Ø 10mm
- » Outer: Ø 60mm



ALLURE


This elegant handle has been designed especially for our aluminium door. It offers smooth operation and aside from its stylish appearance, you are assured each time you grasp the handle that this is a quality set apart from others.



OVAL SERIES

The handle on a door is actually more important than anyone realizes.

- » Drill hole in glass: Ø 10mm






LINEAR SERIES

The stylish Linear Series is a push & pull handle that is screwed directly into the glass door and is available in 4 lengths in stainless steel. With its classic, slim design it fits to any project.

» Drill hole in glass: Ø 10mm




LOCKS

ACCESSORIES




INSULATED SLIDING GLASS LOCK

This Lock is used on insulated sliding glass panels. With its intelligent Lock-in-feature, all metal parts are made from Stainless Steel and are of highest quality to enable smooth operation which makes it a joy to use.




FOLDING GLASS LOCK

This lock is used for all of our folding glass systems. Its combination of advanced technology and design enables easy operation at all times. It is a functional solution to lock the glass panels.




FOLDING GLASS KEY LOCK

A reliable locking system with the added benefit of extremely easy installation, our folding glass systems are turned to the locked or unlocked position from the inside and unlocked from the outside with a key.



SLIDING GLASS MIDDLE LOCK


This beautiful security system for sliding glass is used on the middle rails of our sliding glass systems. All Metal Parts are made from Stainless Steel.





SLIDING GLASS INTERNAL LOCK

This attractive and functional locking system is used in Sliding Glass applications. It is installed on the internal side of the application and all metal parts are made from stainless steel. The bolt is designed to easily slip into the lock.









www.palmiye.eu


PALMIYE
Four Seasons Outdoor Living Areas